

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11750722	(arrival or departure or generation or display\$3 or time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 12:33
L2	3560	(display\$1 or displaying) near3 hidden	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 12:34
L3	3560	L1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 12:34
L4	2009	L3 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 12:34
L5	12	L4 and (cycl\$2 with request \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 12:35
L6	411	((display\$1 or displaying) near3 hidden).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 12:45
L7	1335599	(arrival or departure or generation or display\$3 or time\$1).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 12:45
L8	411	L6 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 12:45
L9	225	L8 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 12:45
L10	1	L9 and (cycl\$2 with request \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 12:46

L11	2	L9 and 707/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 13:41
L12	3	L6 and 707/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 13:41
L13	22	L4 and 707/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/27 13:41
S1	1595414	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 12:42
S2	4	"113870".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 15:52
S3	4	"113870".ap. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field\$1 or local or synchronize or synchronization or synchronizing )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:33
S4	4	"414837".ap. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field\$1 or local or synchronize or synchronization or synchronizing )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:53
S5	2	"6397253".pn. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field\$1 or local or synchronize or synchronization or synchronizing )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:08
S6	2	"6170019".pn. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field\$1 or local or synchronize or synchronization or synchronizing )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:15

S7	9	(network adj performance) with HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:19
S8	9	S7 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:14
S9	9	S8 and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field\$1 or local or synchronize or synchronization or synchronizing )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:15
S10	2	"6625647".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 10:22
S11	4	"612769".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:20
S12	7262	(network adj performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:19
S13	5895	S12 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:20
S14	2459	S13 and (forward\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:20
S15	145	S14 and ((arrive or arrival) near time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:21
S16	13	S15 and ((departure or depart or departing) near3 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:21

S17	2	"5793976".pn. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field\$1 or local or synchronize or synchronization or synchronizing )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:56
S18	197	display with (hidden near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:03
S19	172	S18 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:03
S20	11	S19 and cookie\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:58
S21	46	S19 and display with (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:03
S22	46	S19 and (display with (hidden adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:08
S23	2293	(display\$1 or displaying) near3 hidden	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:09
S24	1834	S23 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:14
S25	1834	S24 and ((display\$1 or displaying) near3 hidden)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:09
S26	69	S24 and ((display\$1 or displaying) near3 (hidden near3 data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:09

S27	1	S24 and ((display\$1 or displaying) near3 (hidden near3 (web near3 page)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:11
S28	6	(web adj page\$1) with (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:11
S29	6	S28 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:14
S30	0	S29 and ((display or displaying) near3 hidden)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:13
S31	46	S24 and (hidden with web)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:14
S32	2	"5793976".pn. and local	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:32
S33	2036	(synchroni\$6 near3 time) with (node\$1 or Server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:29
S34	1552	S33 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:29
S35	1264	S34 and (synchroni\$6 near2 time) with (node\$1 or Server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:30
S36	31	S34 and (synchroni\$6 near2 (local adj time)) with (node\$1 or Server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:30
S37	903	(arrival adj time) and (departure adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:33

S38	703	S37 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:32
S39	1	S38 and (sort\$5 with ((arrival adj time) and (departure adj time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:44
S40	4	S38 and (sort\$5 with (arrival adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:45
S41	17794	application adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:33
S42	11659	S41 and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:33
S43	4880	S42 and performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:33
S44	1373	S43 and (measure or measurement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:34
S45	106	S44 and (execution adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:35
S46	0	S45 and (arrival adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:34
S47	0	(generation near time\$1) near5 (hidden near field\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S48	0	(generation near5 time\$1) near5 (hidden near field\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48

S49	54	(generation near5 time\$1) and (hidden near field\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S50	54	(generation near5 time\$1) and (hidden near field\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S51	44	S50 and @ad<"20010601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S52	0	"10612769".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 15:54
S53	2	"6625647".pn. and (arrival or departure or generation or display\$3 or time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 17:24
S54	1	"5793976".pn. and (arrival or departure or generation or display\$3 or time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 16:14
S55	2	"6625647".pn. and loading	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 17:24
S56	7792	(display\$3 near3 time) near5 (stor\$3 or sav\$3) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:08
S57	7792	((display\$3 near3 time) near5 (stor\$3 or sav\$3)) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:14
S58	25	((display\$3 near3 time) near5 (stor\$3 or sav\$3)) with browser\$1 and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:08
S59	3	"20020161794"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:41

S60	0	"5793976".pn. and server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:41
S61	2	"6625647".pn. and server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:44
S62	2	"20020174421" and ((application near3 server\$1) or (database near3 Server \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:45
S63	3851	((application near3 server\$1) with (database near3 Server \$1)) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:45
S64	3138	((application near3 server\$1) near5 (database near3 Server \$1)) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:47
S65	51	((((application near3 server\$1) near5 (database near3 Server \$1)) with performance) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:47
S66	1	"6625647".pn. and database \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 10:22
S67	5	(boolean with image\$1 with (audio or sound)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 14:58
S68	0	"20050022104" and delet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:16
S69	0	"20050022104" and delete	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:17
S70	2	"20050022104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:16



S71	0	"20050022104" and eras\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:17
S72	0	"20050022104" and remov\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S73	2	"20030065635"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S74	0	"20030065635" and delet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S75	0	"20030065635" and remov\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S76	0	"20030065635" and reas\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S77	1	"20030065635" and record\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:20
S78	683	(edit\$3 same (delet\$3 or remov\$3) same (swap\$4 or exchang\$3 or interchang\$3)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:22
S79	40	((edit\$3 same (delet\$3 or remov\$3) same (swap\$4 or exchang\$3 or interchang\$3))) same record\$1 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:24
S80	1	((edit\$3 with (name\$1 or filename\$1) ) same (delet\$3 or remov\$3) same (swap\$4 or exchang\$3 or interchang\$3))) same record\$1 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:25

S81	54	((edit\$3 with (name\$1 or filename\$1) ) same (delet\$3 or remov\$3) same (swap\$4 or chang\$3 or interchang\$3))) same record\$1 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:31
S82	246	(view\$3 with delet\$2 with record\$1) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:31
S83	32	((view\$3 with delet\$2 with record\$1) and (edit\$3 with fields ) ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:32
S84	39	((view\$3 with delet\$2 with record\$1) and (edit\$3 with field\$1 ) ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:32
S85	2	((view\$3 with delet\$2 with record\$1) and (edit\$3 with field\$1 ) and ((chang\$3 or interchang\$3 or swap\$4) with (filename\$1 or file?name \$1))) ) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:33
S86	26522	(internal near3 clock) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:52
S87	23808	(internal near2 clock) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:52
S88	19498	(internal adj clock) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:52
S89	58	((internal adj clock) with (local near3 time) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:31
S90	2	"20030177776"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:32

S91	9070	(network adj performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:53
S92	6457	S91 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:53
S93	2779	S92 and (forward\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:53
S94	162	S93 and ((arrive or arrival) near time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:54
S95	8	S94 and HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:54
S96	1	"5793976".pn. and (stor\$3 or cach\$3 or keep\$3 or databases or (data near2 structure\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 12:52
S97	1	"6625647".pn. and (stor\$3 or cach\$3 or keep\$3 or databases or (data near2 structure\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 12:52
S98	16	(network adj performance) with HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:50
S99	9	S98 and @riad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:50
S100	1	S98 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:50
S101	10727	(network adj performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:50

S102	2653	S101 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:50
S103	2348	S101 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:50
S104	15	S102 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:52
S105	2	S103 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:52
S106	2653	S101 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:52
S107	2348	S101 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:52
S108	15	S106 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:52
S109	2	S107 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:52
S110	275	display with (hidden near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53
S111	68	S110 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53
S112	76	S110 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53

S113	2	S111 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53
S114	2	S112 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53
S115	3286	(display\$1 or displaying) near3 hidden	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53
S116	695	S115 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:53
S117	900	S115 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:54
S118	10	S116 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:54
S119	1	S117 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:54
S120	11	(web adj page\$1) with (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:54
S121	2	S120 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:54
S122	1	S120 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:54
S123	1262	(arrival adj time) and (departure adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:55

S124	317	S123 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:55
S125	3	S124 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:55
S126	31782	application adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:55
S127	7126	S126 and @rlad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:55
S128	4646	S126 and @prad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:56
S129	145	S127 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:56
S130	25	S128 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:56
S131	73	(generation near5 time\$1) and (hidden near field\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:56
S132	10	S131 and @rlad<"20010601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:56
S133	11	S131 and @prad<"20010601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:56
S134	443	(edit\$3 same (delet\$3 or remov\$3) same (swap\$4 or exchang\$3 or interchang\$3)) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:57

S135	299	(edit\$3 same (delet\$3 or remov\$3) same (swap\$4 or exchang\$3 or interchang\$3)) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:57
S136	23	((edit\$3 same (delet\$3 or remov\$3) same (swap\$4 or exchang\$3 or interchang\$3))) same record\$1 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:57
S137	13	((edit\$3 same (delet\$3 or remov\$3) same (swap\$4 or exchang\$3 or interchang\$3))) same record\$1 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:57
S138	41	((edit\$3 with (name\$1 or filename\$1) ) same (delet\$3 or remov\$3) same (swap\$4 or chang\$3 or interchang\$3))) same record\$1 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:58
S139	17	((edit\$3 with (name\$1 or filename\$1) ) same (delet\$3 or remov\$3) same (swap\$4 or chang\$3 or interchang\$3))) same record\$1 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:58
S140	199	(view\$3 with delet\$2 with record\$1) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:58
S141	69	(view\$3 with delet\$2 with record\$1) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:58
S142	34	((view\$3 with delet\$2 with record\$1) and (edit\$3 with fields ) ) and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:59
S143	6	((view\$3 with delet\$2 with record\$1) and (edit\$3 with fields ) ) and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:59
S144	10727	(network adj performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:59

S145	2653	S144 and @rlad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:59
S146	2348	S144 and @prad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:59
S147	15	S145 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 10:59
S148	2	S146 and 707/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 11:00
S149	2	"20020129012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 11:02
S150	2	"20070185877" and server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:34
S151	2	"6625647".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 16:41
S152	2	"5793976".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:21
S153	3	"20020161794"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 18:57
S154	2	"6625647".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 19:24

8/ 27/ 2008 1:44:06 PM

C:\Documents and Settings\dmyint\My Documents\EAST\Workspaces\10-612-769\_\_1.wsp